APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office UC1 2 19/9	
Retu	urned to applicant for correction. MAY 1.1980
Corr	ected application filed.
Мар	filed
	The applicant Robert W. & Sandra E. Oglesby
	R F D Box 747 , of Washoe Vally Street and No. or P.O. Box No. City or Town
	Carson City, Nv 89701 , hereby make application for permission to appropriate the public
wate	rs of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
	if a copartnership or association, give names of members.)
1.	The source of the proposed appropriation is <u>Underground</u> Name of stream, lake or other source.
	Tumo of strong table of valve
2.	The amount of water applied for is 1 CSF second-foot equals 448.83 gals. per min.
	One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet
3.	The water to be used for Quasi muni and Domestic
	Irrigation, power, mining, manufacturing, domestic, or other use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: SW4; NE4; Sec 26.T.16N; R-191
	M. D. B. & M. Specific point has not been Engineered but will be. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
	approx. N 57° E of the center of Section 26 a distance of 1,000 ft
6.	Place of use Parcel No. 1. Parcel Map #110 as filed with the Washoe Describe by legal subdivision, if on unsurveyed land it should be so stated.
	County Recorder on Oct 17, 1974 under file #344421 Washoe County
	Nevada. This is a 30.26 acre parcel located within the NE 4 of
	Sec. 26 T 16N; R 19E; MOD B & M
7.	Use will begin about 1 Jan and end about 31 Dec , of each year. Day and Month Day and Month
_	Day and Month Day and Month Day and Month Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
8.	
	specifications of your diversion or storage works.)If needed, water will be diverted
	by a underground submersible pump located in a 8" casing. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
	Water would then in existing tank and distribution system.

9.	Estimated cost of works \$10,000
10.	Estimated time required to construct works Three years
11.	Estimated time required to complete the application to beneficial use one year after completion of
12.	water works Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	Three (3) approx (5) five acre parcels. We plan on these
	homes using approx 2,000 gal./day
App	olicant_S/R.W. Oglesby
	By s/ R.W. Oglesby
Con	Star Route Box 747 pared_aa/js Carson City, Nv. 89701
	OF STATE ENGINEER
follo	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the owing limitations and conditions:
,	
· 	
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
	to exceedcubic feet per second
	ual construction work shall begin on or before
	of of commencement of work shall be filed before
Wor	rk must be prosecuted with reasonable diligence and be completed on or before
Proc	of of completion of work shall be filed before
Арр	olication of water to beneficial use shall be made on or before.
Proc	of of the application of water to beneficial use shall be filed on or before
Мар	o in support of proof of beneficial use shall be filed on or before
	IN TESTIMONY WHEREOF, I
Proc	of of beneficial use filed
	ural map filed
Reco	Orded Bk. Page JUL 9 1980 County Recorder CANCELLED 1980 State Engineer State Engineer